Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1151	365/189.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 16:36
S3	1131	365/190.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 16:37
S4	2252	365/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 16:41
S7	108	S1 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 16:42
S6	2161	365/154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 16:42
S5	9	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 16:58
S10	51	(pullup or (pull adj up)) near3 (transistor circuit) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:01
S14	135	((pullup or (pull adj up)) with (bitline digitline (bit adj line) (digit adj line))) and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:03

			· · · · · · · · · · · · · · · · ·			
S12	26	((pullup or (pull adj up)) near3 (transistor circuit) same (bitline digitline (bit adj line) (digit adj line))) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:03
S11	26	((pullup or (pull adj up)) near3 (transistor circuit) same (bitline digitline (bit adj line) (digit adj line)))and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:03
S15	7	((pullup or (pull adj up)) with (bitline digitline (bit adj line) (digit adj line)) same writ\$3) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:17
S13	27	((pullup or (pull adj up)) with (bitline digitline (bit adj line) (digit adj line))) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:17
S16	916	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 15:41
S17	77	(pullup or (pull adj up))and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 15:42
S9	379	(pullup or (pull adj up)) near3 (transistor circuit) and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 15:42
S19	1	10/779,780	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 19:42

			,			
S8	3	S7 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 19:59
S20	2185	(SRAM (static adj3 (ram (random adj access adj memory)))) and (multi\$1port (multiple adj port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:00
S21	3	S20 and (((pull\$1up pullup) near3 (switch transistor device)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:05
S22	5	(multi\$1port (multiple adj port)) and (((pull\$1up pullup) near3 (switch transistor device)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:06
S23	5	(multi\$1port (multiple adj port)) and (((pull\$1up pullup (pull\$3 adj up)) near3 (switch transistor device)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:07
S24	17	(multi\$1port (multiple adj port)) and ((pull\$1up pullup (pull\$3 adj up)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:13
S26	8	S25 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:14
S28	31724	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:42

S27	948	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:42
S25	25	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) and ((pull\$1up pullup (pull\$3 adj up)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:42
S18	30	((pullup or (pull adj up)) same writ\$3) and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 20:42
S29	243	((pullup or (pull adj up)) same writ\$3) and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 12:32
S35	107	S30 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 12:33
S34	1211	S30 not S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 12:33
S33	107	S30 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 12:33
S32	31724	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 12:33

						
S31	948	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 12:33
S30	1318	((pullup pull\$1up (pull\$3 adj up)) with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 12:34
S37	4	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 12:35
S38	4	S36 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 12:42
S39	108	((pullup pull\$1up (pull\$3 adj up)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line) same writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 13:29
S36	50	((pullup pull\$1up (pull\$3 adj up)) near3 (bitline digitline dataline bit\$1line digit\$1line data\$1line) with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 13:29
S42	17	S39 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 13:30
S41	91	S39 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 13:30

S40	17	S39 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 13:30
S64	17	S61 not S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S63	92	S61 not S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S62	17	S61 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S61	109	((pullup pull\$1up (pull\$3 adj up)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line) same writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S60	4	S58 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S59	4	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S58	50	((pullup pull\$1up (pull\$3 adj up)) near3 (bitline digitline dataline bit\$1line digit\$1line data\$1line) with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17

S57	107	S52 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S56	1216	S52 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S55	107	S52 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S53	949	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S52	1323	((pullup pull\$1up (pull\$3 adj up)) with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S51	30	((pullup or (pull adj up)) same writ\$3) and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S50	79	(pullup or (pull adj up))and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S49	949	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17

S48	9	S43 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S47	3	S45 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S46	1186	365/189.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S45	115	S43 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S44	2237	365/154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S43	949	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:17
S1	916	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:43
S70	1	S66 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/03/21 15:48

S68	33881	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) or S67 or 365/154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:48
S67	952	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:48
S54	31836	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:48
S69	4	S65 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:51
S66	78	(writ\$3 program\$5) same ((bitline dataline digitline bit\$1line data\$1line digit\$1line (column adj3 line)) near5 ((pull\$1up (pull\$3 adj3 up) offset\$3 shift\$3)) near3 (bias potential volt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 08:52
S65	101	(writ\$3 program\$5) same ((bitline dataline digitline bit\$1line data\$1line digit\$1line (column adj3 line)) with ((pull\$1up (pull\$3 adj3 up) offset\$3 shift\$3)) near3 (bias potential volt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 08:52
L3	51	(writ\$3 program\$5) with ((bitline dataline digitline bit\$1line data\$1line digit\$1line (column adj3 line)) with ((pull\$1up (pull\$3 adj3 up) offset\$3 shift\$3)) near3 (bias potential volt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 08:52
L2	24	(writ\$3 program\$5) with ((bitline dataline digitline bit\$1line data\$1line digit\$1line (column adj3 line)) near5 ((pull\$1up (pull\$3 adj3 up) offset\$3 shift\$3)) near3 (bias potential volt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:02

L4	29	L3 not L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:03
----	----	-----------	---	----	----	------------------